

SHELVING for LIFE®

The **New**
Camshelving®

Elements® XTRA Series



CAMBRO
TRUSTED DURABILITY

You Asked. **We Listened.**


Easier and Faster Assembly

- 50% **FEWER** parts
- Single piece snap-on left and right Dovetails



Improved Cleanability and Product Handling

- **SOLID** top and bottom Post Connectors
- **SMOOTH** outer facing Post with inside notches



Greater Versatility

- Universal Shelves for both stationary **AND** mobile units

— Same DNA as Elements®



ZERO loss of weight bearing in corners up to 60"

- XTRA-ORDINARY, high performing Corner Connectors
- Clamp design secures onto front and back of Traverse



Series. **Only Better.**

NEW

Elements® XTRA Series High Density Storage



Up to
50% more
storage space
compared to traditional
stationary shelving.



Scan HERE for Product
Specification Guide

XTRA Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

SINGLE UNIT		UNIT LENGTH 24" – 60"	UNIT LENGTH 72"
	Unit only	2,400 lbs.	2,400 lbs.
	Shelf only	800	600
	Unit with dunnage stand*	2,800	2,700
	Bottom shelf with dunnage stand*	1,200	900

CORNER UNIT With 2 Dunnage Stands required		UNIT LENGTH 24" – 60"	
	Unit only	2,400	—
	Shelf only	800	—
	Bottom shelf with dunnage stands*	1,200	—

INTERMEDIATE SHELVES Shelves Installed Between 2 Units		UNIT LENGTH 24" – 60"	
	Unit only	2,400	—
	Shelf only	800	—
	Bottom shelf with dunnage stands*	1,200	—

MOBILE UNIT		UNIT LENGTH 24" – 60"	
	Unit only	900	—

*Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for Starter Units 54" and longer, all Corner Units, U-Shape Units and units specified for heavier loads.

What Stayed the SAME...

Product Dimensions
Installation Configurations
All Existing Accessories Fit
Design and Quoting Resources



CAMSHELVING
Design
Service

https://apps.cambro.com/shelving_layouts



COMPONENTS



camguard
ANTIMICROBIAL SHELF PLATES

For more information about Cambro products visit www.cambro.com or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.

CAMBRO
TRUSTED DURABILITY

www.cambro.com

Telephone 714 848 1555 Toll Free 800 854 7631 Customer Service 800 833 3003
© Cambro Manufacturing Company 5801 SkyLab Road, Huntington Beach, California 92647-2056
LIT2358 REV A Printed in USA 10/24



Access our Digital Catalog.
Scan the QR code or visit
cambro.com/catalog

D082308